IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : March 26, 2001

ROBERT H. WAKE et al. :

Serial No.: N/A

Filed: Herewith

For: DETECTOR ARRAY FOR USE IN A :

LASER IMAGING APPARATUS :

PRELIMINARY AMENDMENT

Honorable Commissioner of Patents and Trademarks Washington, D.C. 20231

Dear Sir:

Please amend the above-identified application as follows:

IN THE SPECIFICATION:

Page 1, please replace the first paragraph under "Related Applications" with:

--This is a division of application serial No. 09/627,148, filed July 27, 2000, now U.S. Patent No. 6,211,512, which is a division of application serial No. 08/963,760, filed November 4, 1997, now U.S. Patent No. 6,100,520, which is a nonprovisional application claiming the benefits of provisional application Nos. 60/032,591, 60/032,592 and 60/032,593, all filed November 29, 1996, all of which are hereby incorporated by reference.--

IN THE CLAIMS:

Please cancel all claims except claim 15 without prejudice.

Please add the following claims.

- 16. A method as in claim 15, wherein said providing a source of laser beam is implemented with a near infrared laser.
- 17. A method as in claim 15, wherein said providing a source of laser beam is implemented with a laser diode.
- 18. A method as in claim 15, wherein said providing a plurality of sensors is implemented with photo-diodes.
- 19. A method as in claim 15, wherein said providing a plurality of sensors is implemented with photo-transistors.
- 20. A method as in claim 15, wherein said providing a plurality of sensors is implemented with PIN diodes.
- 21. A method as in claim 15, wherein said providing a plurality of sensors is implemented with photo-multiplier tubes.
- 22. A method as in claim 15, wherein said providing a plurality of sensors includes arranging the sensors around the object in an arc.
- 23. A method as in claim 15, wherein said providing a plurality fo sensors includes orbiting the sensors with the laser beam around the object.
 - 24. A method as in claim 15, wherein:
- a) said restricting the field of view is implemented by disposing each detector inside a respective housing at a distance from an open front end of the housing; and
 - b) pointing each housing toward the object.

- A method as in claim 24, wherein the respective housing is disposed in a one-dimensional array with respect to the other housings.
- A method as in claim 24, wherein the respective housing 26. is disposed in a two-dimensional array with respect to the other housings.

REMARKS

Applicants have cancelled claims 1-14 and added claims 16-26. It is respectfully requested that the amendment be entered before computing the filing fee.

Respectfully submitted,

Josefino P. de Leon

Reg. No. 33,166

SHLESINGER, ARKWRIGHT & GARVEY LLP 3000 South Eads Street Arlington, Virginia 22202 (703) 684-5600 lm